

National Oesophago-Gastric Cancer Audit

George Eliot Hospital NHS Trust

West Midlands, Cancer Alliance

Management of High Grade Dysplasia patients

Time period: 2016-20

	Cancer Alliance		National
Number of High Grade Dysplasia patients in audit	80		1372
	Cancer Alliance		National
Method of Diagnosis			
– First diagnosis confirmed by second pathologist	73	91.8%	88.1%
Treatment planning			
– HGD plan discussed at MDT	74	92.5%	89.7%
– Treatment plan for active treatment	57	70.7%	78.8%
First treatment			
– Endoscopic therapy (such as endoscopic resection)	51	63.7%	71.8%
– Surveillance	18	22.7%	13.9%

Management of oesophago-gastric cancer patients

Time period: 2018-2020

	Organisation		National
Number of oesophago-gastric (OG) cancer patients in audit	59		20,319
Case ascertainment for OG cancer (%)	75-84%		
Method of Diagnosis			
– Patients diagnosed after an emergency admission** ** Percent figure accounts for differences in mix of patients across organisations	4	8.0%	12.6%
– Patients with referral source reported as unknown	0	0.0%	1.8%
Pre-treatment staging of cancer			
– Patients having staging CT scan recorded	57	96.6%	85.9%
Treatment planning			
– Patients having a plan for curative treatment	24	40.7%	39.4%
– Patients having a plan for non-curative treatment	35	59.3%	60.6%
– Patients with non-curative plans having chemotherapy or radiotherapy	25	71.4%	42.8%