

National Oesophago-Gastric Cancer Audit

Oxford University Hospitals NHS Foundation Trust

Thames Valley, Cancer Alliance

Management of High Grade Dysplasia patients

Time period: 2015-19


	Cancer Alliance		National
Number of High Grade Dysplasia patients in audit	69		1448
	Cancer Alliance		National
Method of Diagnosis			
– First diagnosis confirmed by second pathologist	61	89.1%	86.9%
Treatment planning			
– HGD plan discussed at MDT	62	89.9%	87.9%
– Treatment plan for active treatment	65	94.2%	81.1%
First treatment			
– Endoscopic therapy (such as endoscopic resection)	60	87.0%	73.8%
– Surveillance	2	2.9%	11.0%

Management of oesophago-gastric cancer patients

Time period: 2017-2019


	Organisation		National
Number of oesophago-gastric (OG) cancer patients in audit	240		20528
Case ascertainment for OG cancer (%)	85-100%		
Method of Diagnosis			
– Patients diagnosed after an emergency admission** ** Percent figure accounts for differences in mix of patients across organisations	9	4.0%	13.3%
– Patients with referral source reported as unknown	1	0.4%	1.8%
Pre-treatment staging of cancer			
– Patients having staging CT scan recorded	234	97.5%	86.9%
Treatment planning			
– Patients having a plan for curative treatment	97	40.4%	38.5%
– Patients having a plan for non-curative treatment	143	59.6%	61.5%
– Patients with non-curative plans having chemotherapy or radiotherapy	83	58.0%	48.2%

90-day mortality rate



Trust	Number	Adjusted %
Oxford University Hospitals NHS Foundation Trust	273	2.40%

30-day mortality rate



Trust	Number	Adjusted %
Oxford University Hospitals NHS Foundation Trust	273	2.00%

Outcomes for OG cancer patients who have curative surgery

Time period: 2016-2019

	Organisation	National
Number of patients having surgery	273	6273
Length of stay, median (days)	9	11
Operations in which 15 or more lymph nodes were examined (%)	93.3%	86.6%
30-day postoperative mortality (%)	2.0%	1.7%
90-day postoperative mortality (%)	2.4%	3.3%
Oesophageal surgery		
Number of patients having oesophageal surgery	205	N/A
Oesophageal patients with positive longitudinal margins (%)	3.1%	4.2%
Oesophageal patients with positive circumferential margins (%)	17.7%	24.2%
Gastric surgery		
Number of patients having gastric surgery	68	N/A
Gastric patients with positive longitudinal margins (%)	8.4%	8.1%