

National Oesophago-Gastric Cancer Audit

Northampton General Hospital NHS Trust

East Midlands, Cancer Alliance

Management of High Grade Dysplasia patients

Time period: 2015-19

	Cancer Alliance		National
Number of High Grade Dysplasia patients in audit	114		1448
	Cancer Alliance		National
Method of Diagnosis			
– First diagnosis confirmed by second pathologist	97	84.8%	86.9%
Treatment planning			
– HGD plan discussed at MDT	106	93.0%	87.9%
– Treatment plan for active treatment	92	81.1%	81.1%
First treatment			
– Endoscopic therapy (such as endoscopic resection)	80	70.3%	73.8%
– Surveillance	13	11.7%	11.0%

Management of oesophago-gastric cancer patients

Time period: 2017-2019

	Organisation		National
Number of oesophago-gastric (OG) cancer patients in audit	148		20528
Case ascertainment for OG cancer (%)	85-100%		
Method of Diagnosis			
– Patients diagnosed after an emergency admission** ** Percent figure accounts for differences in mix of patients across organisations	36	24.4%	13.3%
– Patients with referral source reported as unknown	1	0.7%	1.8%
Pre-treatment staging of cancer			
– Patients having staging CT scan recorded	144	97.3%	86.9%
Treatment planning			
– Patients having a plan for curative treatment	57	38.5%	38.5%
– Patients having a plan for non-curative treatment	91	61.5%	61.5%
– Patients with non-curative plans having chemotherapy or radiotherapy	52	57.1%	48.2%