

National Oesophago-Gastric Cancer Audit

Royal Berkshire NHS Foundation Trust

Thames Valley, Cancer Alliance

Management of High Grade Dysplasia patients

Time period: 2015-19

	Cancer Alliance		National
Number of High Grade Dysplasia patients in audit	69		1448
	Cancer Alliance		National
Method of Diagnosis			
– First diagnosis confirmed by second pathologist	61	89.1%	86.9%
Treatment planning			
– HGD plan discussed at MDT	62	89.9%	87.9%
– Treatment plan for active treatment	65	94.2%	81.1%
First treatment			
– Endoscopic therapy (such as endoscopic resection)	60	87.0%	73.8%
– Surveillance	2	2.9%	11.0%

Management of oesophago-gastric cancer patients

Time period: 2017-2019

	Organisation		National
Number of oesophago-gastric (OG) cancer patients in audit	65		20528
Case ascertainment for OG cancer (%)	<65%		
Method of Diagnosis			
– Patients diagnosed after an emergency admission** ** Percent figure accounts for differences in mix of patients across organisations	1	2.1%	13.3%
– Patients with referral source reported as unknown	0	0.0%	1.8%
Pre-treatment staging of cancer			
– Patients having staging CT scan recorded	65	100.0%	86.9%
Treatment planning			
– Patients having a plan for curative treatment	52	80.0%	38.5%
– Patients having a plan for non-curative treatment	13	20.0%	61.5%
– Patients with non-curative plans having chemotherapy or radiotherapy	11	84.6%	48.2%